


QQC INSPECTION REPORT (VISUAL/SIZE) Job: 2306079-PL Rev: C2

客 户 Customer	/	制造线别 Line	成品线	入库数量 Lot Size	3000	样品数 Sample Qty	125
品 名: P/N	RR9KE3000EIJ2R6 B3193	机 种: Model	GTM96300-3614.5-2.5-R2	受订单号 P/O	8010110-292684	生产周期 Date Code	48/22
数量/箱: Quantity/carton	60	序列号 SN	369567148/22-372566148/22				
抽样计划: ANSI/ASQC(Z1.4):NORMAL LEVEL II AQL: MA:0.4 MI: 0.65 %							
检验项目 Test Description	规格 Spec	检验结果(OK/NG) Test Result	标签内容核对(Label content/text check): 实物P/N Model安规符号与Spec核对一致 条码内容与标签信息一致				
CASE型号 (Case type)	/	/					
CASE颜色 (Case colour)	黑色	OK					
标签(Label): (铭版/S/N标签、 Packing标签 需检查标签 内容和条码的内容)	铭板: 黑底棕字 S/N标签: 白底黑字 Packing标签: 白底黑字	OK					
输入线材 (Input cord)	/	/	包装唛头核对(Packing check): 实物P/N 标签数量 与Spec核对一致 尾数箱: 50 of 50 抽检: 20 pcs				
输出线材Output cord or cable	18/1C + Shield Cond, UL 1185	OK					
输出极性 Output Polarity		OK					
附件Accessory	保护盖	OK					
尺寸(SIZE): UNIT:mm							
项目 Description	规格 Spec	公差 Tolerance	样本读值(Sample Value)				
			1	2	3	4	5
礼盒长 Gift box length	142	±1.0	142.00	142.00	142.00	142.00	142.00
礼盒宽 Gift box width	62	±1.0	62.00	62.00	62.00	62.00	62.00
礼盒高 Gift box height	60	±1.0	60.00	60.00	60.00	60.00	60.00
外壳长度 Case Length	102.19	±1.0	102.79	102.82	102.73	102.67	102.74
外壳宽度 Case width	47.5	±1.0	47.44	47.42	47.45	47.48	47.46
外壳高度 Case Height	36.7	±1.0	36.98	36.87	36.92	36.95	36.94
输入线长度 Input Cable Length	/	/	/	/	/	/	/
输出线长度 Output Cable Length	1830	+ 150/-0	1870.00	1875.00	1870.00	1860.00	1860.00
插头长度 Plug Length	11.5	±0.5	11.43	11.45	11.38	11.47	11.46
插头外径 Plug Outer Dia.	4	±0.1	4.01	3.99	3.98	4.02	4.01
插头内径 Plug Inner Dia.	1.7	±0.1	1.68	1.71	1.70	1.72	1.71
检验结果SAMPLING RESULT(OK/NG)			OK	OK	OK	OK	OK
备注: 1. 372273148/22 2. 372285148/22 3. 372279148/22 4. 372277148/22 5. 372271148/22							
Remark 卡尺 GT-C495 卷尺							
最终判定 Final Judgement	PASS	批准: Approved:	审核: Checked:			检验 Inspected: 赵萍萍 2022/11/24	

OQC INSPECTION REPORT (ELECTRICAL TEST) Job: 2306079-PL Rev: C2

客 户 Customer	/	制造线别 Line	成品线	入库数量 Lot Size	3000	样品数 Sample Qty	8
品 名: P/N	RR9KE3000EIJ2R6B3 193	机 种: Model	GTM96300-3614.5-2.5-R2	受订单号 P/O	8010110-292684	生产周期 Date Code	48/22
抽样计划: ANSI/ASQC(Z1.4): S-1 AQL: 1.5 %							
测试条件 Test Condition		测试规格 Test Spec	样品记录 (Record)				
			1	2	3	4	5
启动Vin= 110 V Turn On	NO LOAD	V1: 3A(11.4V-12.6V)	12.24	12.25	12.31	12.31	12.31
		V2:					
	FULL LOAD	V1:	11.80	11.73	11.78	11.85	11.83
		V2:					
启动Vin= 240 V Turn On	NO LOAD	V1:	12.24	12.25	12.31	12.31	12.31
		V2:					
	FULL LOAD	V1:	11.82	11.76	11.77	11.86	11.84
		V2:					
线性调整率 Linear Regulate Rate	90V-115V- 230V-264V	V1: 12 ± 0.5 %	PASS	PASS	PASS	PASS	PASS
负载调整率 Load Regulate Rate	Vin= 110 V	V1: 12 ± 5 %	PASS	PASS	PASS	PASS	PASS
Efficiency	Vin= V	% min					
	Vin= V						
OCP	Vin= 230 V	3.3A-4.8A	3.89	4.05	3.95	4.07	4.14
纹波 Ripple	Vin= 100 V	V1: 120 mv max	PASS	PASS	PASS	PASS	PASS
		V2: mv max					
	Vin= 240 V	V1: 120 mv max	PASS	PASS	PASS	PASS	PASS
		V2: mv max					
短路保护Vin=240Vor100V输出短路 Short protection Vin=240Vor100V output short	输入功率 ≤ 20 W Input power		1.10	0.80	0.80	1.00	1.70
	输出电压Vo1< 3 V O/P Voltage		0	0	0	0	0
HI-POT: AC 4000 V 60 S	漏电流< 5 ma Leakage Current		PASS	PASS	PASS	PASS	PASS
IR: DC 500 V 60 S	阻抗> 100 MΩ Impedance		PASS	PASS	PASS	PASS	PASS
备注: 1. 372263148/22 2. 372269148/22 3. 372283148/22 4. 372281148/22 5. 372275148/22							
Remark 测试设备: GT-C422 GT-C178 GT-C298 GT-C438							
最终判定 Final Judgment	PASS	批准: Approved:	审核: Checked:			检验 Inspected: 赵莹莹 2022/11/24	

PSE Product Inspection Record

Doc No#: 202211146	PART#:RR9KE3000EIJ2R6B3193	L/R#:8010110-292684
Name of Electrical Appliances: Switch Power Supply		
Model Name:GTM96300-3614.5-2.5-R2		
Classification: Class II		
Construction, Material and Performance: Refer to product SPEC Rev:C2		
Date/Month/Year of the Test: 2022.11.24		
Place of the Test: QA		
Test conducted by: 赵萍萍		
Number of Electrical Appliances tested: 3000 pcs		
Serial Number:369567148/22-372566148/22		
Test Method: Electrical tester/Hi-Pot tester/Vernier caliper/Tape		
Test Result: PASS		
Visible Inspection By naked-eye under fluorescent lamp	Dielectric Strength HI-Pot tester 4000Vac	Function Test Chroma tester
Pass except below mentioned (3000)pcs-PASS	Pass except below mentioned (3000)pcs-PASS	Pass except below mentioned (3000)pcs-PASS
Serial No. of Failed products		
/	/	/
/	/	/
/	/	/

This record shall be kept for three years from the day test conducted.

Approved: _____
Quality Manager